


IN THE CLAIMS:

1. (Previously Presented) A compound of the structure



wherein Y, at each occurrence, is independently selected from the group consisting of C(O), CR¹, C(R²)(R³), NR⁵ and CH;

q is an integer of from 4 to 6;

A is NR⁶;

E is NR⁷;

J is O;

T is (CH₂)_b wherein b is an integer of from 0 to 2;

M is selected from the group consisting of C(R⁹)(R¹⁰) and (CH₂)_u wherein u is an integer of from 0 to 1;

L is (CH₂)_n wherein n is an integer of 0 or 1;

X is selected from the group consisting of CO₂B, and tetrazolyl;

W is selected from the group consisting of C and CR¹⁵;

B is H or alkyl;

R¹ at each occurrence is independently selected from the group consisting of halogen, alkyl, alkoxy, -O(aralkyl), -CF₃, -NH₂, -OH, -NHC(O)N(C₁-C₃ alkyl)C(O)NH(C₁-C₃ alkyl), N(alkyl)SO₂(alkyl), -NH(aralkyl), -NHSO₂(C₁-C₃ alkyl), alkylamino, di(C₁-C₃ alkyl)amino, cycloalkyl, aryl, arylamino, alkoxy-alkoxy, 1-piperazinyl, 1-morpholinyl, 1-4-oxazinan -4-yl, 4-methyltetrahydro - 1(2H)- pyrazinyl, 1-azetanyl, and 3-alkyl-1-ureido wherein R¹ can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, aryl, aliphatic acyl, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkoxy and carboxy;

R² and R³ are hydrogen;

R⁴ is selected from the group consisting of

hydrogen, alkyl, aryl, biaryl, alkylaryl and aralkyl, wherein R^4 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, alkoxy, $-CF_3$, halogen, hydroxyl,

$-OCF_3$, aryl, $-OCF_2H$, $-OCF_2CF_2H$, $-O(\text{cycloalkyl})$, $-OCH_2CF_3$, thioalkoxy, $-SO_2(\text{alkyl})$, 1-pyrrolidinyl, 1-piperidinyl, $-O(\text{cycloalkylalkyl})$, dialkylamino, cycloalkyl, haloalkyl, $-NHSO_2(\text{alkyl})$ and $-N(\text{alkyl})SO_2(\text{alkyl})$;

R^5 at each occurrence is independently selected from the group consisting of cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein R^5 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, $-CF_3$, hydroxyl, nitro, amino, $-NH(\text{aliphatic acyl})$, $-NHSO_2(\text{alkyl})$, thioalkoxy,

$-OCF_3$, $-SO_2(\text{alkyl})$, $-SO_2N(\text{alkyl})_2$, $-OCF_2H$, aliphatic acyl, $-OCH_2CF_3$, alkoxyalkoxy, $-SO_2(1\text{-pyrrolidinyl})$, $-SO_2(1\text{-piperidinyl})$, $-O(\text{cycloalkylalkyl})$, $-O(\text{aralkyl})$, 1-pyrrolidinyl and 1-piperidinyl;

R^6 and R^7 are independently hydrogen or alkyl;

R^9 and R^{10} are independently selected from the group consisting of hydrogen and alkyl; and

R^{15} is hydrogen;


wherein when at least one Y is CR^1 , R^1 and R^6 may be taken together to form a ring;

or a pharmaceutically acceptable salt thereof.

2. (Previously Presented) A compound of claim 1 wherein
 A is NR^6 ;
 E is NR^7 ;
 J is O;
 M is $\text{C}(\text{R}^9)(\text{R}^{10})$
 Q is 4 or 5;
 T is $(\text{CH}_2)_b$ wherein b is 0
 L is $(\text{CH}_2)_n$ wherein n is 0;
 X is CO_2B ;
 W is C or CR^{15} ;
 R^4 is aryl, and
 $\text{R}^6, \text{R}^7, \text{R}^9, \text{R}^{10}$ and R^{15} when present are hydrogen.

3. (Canceled)

4. (Previously Presented) A compound of the structure



wherein Y, at each occurrence, is independently selected from the group
 consisting of $\text{C}(\text{O})$, CR^1 , $\text{C}(\text{R}^2)(\text{R}^3)$, NR^5 and CH ;

q is an integer of from 4 to 6;

T is $(\text{CH}_2)_b$ wherein b is an integer of 0 to 2;

L is $(\text{CH}_2)_n$ wherein n is an integer of 0 or 1;

W is selected from the group consisting of C and CR^{15} ;

B is H or alkyl;

R^1 at each occurrence is independently selected from the group consisting of

halogen, alkyl, alkoxy, $-\text{O}(\text{aralkyl})$, $-\text{CF}_3$, $-\text{NH}_2$, $-\text{OH}$,
 $-\text{NHC}(\text{O})\text{N}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{C}(\text{O})\text{NH}(\text{C}_1\text{-C}_3 \text{ alkyl})$, $-\text{NHSO}_2(\text{C}_1\text{-C}_3 \text{ alkyl})$, $\text{N}(\text{alkyl})$
 $\text{SO}_2(\text{alkyl})$, alkylamino, $\text{di}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{amino}$, cycloalkyl, aryl, arylamino,
 alkoxyalkoxy, 1-piperazinyl, 1-morpholinyl, 1,4-oxazinan -4-yl, 4-

methyltetrahydro - 1(2H)- pyrazinyl, 1-azetanyl, and 3-alkyl-1-ureido wherein R^1 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, aryl, aliphatic acyl, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkoxy and carboxy;

R^2 and R^3 are hydrogen;

R^4 is selected from the group consisting of

hydrogen, alkyl, aryl, biaryl, alkylaryl and aralkyl wherein R^4 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, alkoxy, $-CF_3$, halogen, hydroxyl, $-OCF_3$, aryl, $-OCF_2H$, $-OCF_2CF_2H$, $-O(cycloalkyl)$, $-OCH_2CF_3$, thioalkoxy, $-SO_2(alkyl)$, 1-pyrrolidinyl, 1-piperidinyl, $-O(cycloalkylalkyl)$, dialkylamino, cycloalkyl, haloalkyl, $-NHSO_2(alkyl)$ and $-N(alkyl)SO_2(alkyl)$;

R^5 at each occurrence is independently selected from the group consisting of

cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein R^5 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, $-CF_3$, hydroxyl, nitro, amino, $-NH(aliphatic\ acyl)$, $-NHSO_2(alkyl)$, thioalkoxy, $-OCF_3$, $-SO_2(alkyl)$, $-SO_2N(alkyl)_2$, $-OCF_2H$, aliphatic acyl, $-OCH_2CF_3$, alkoxyalkoxy, $-SO_2(1-pyrrolidinyl)$, $-SO_2(1-piperidinyl)$, $-O(cycloalkylalkyl)$, $-O(aralkyl)$, 1-pyrrolidinyl and 1-piperidinyl;

R^6 and R^7 are independently hydrogen or alkyl; and

R^9 and R^{10} are independently selected from the group consisting of

hydrogen and alkyl; and

R^{15} is hydrogen

wherein when at least one Y is CR^1 , R^1 and R^6 may be taken together to form a ring

or a pharmaceutically acceptable salt thereof.

5. (Previously Presented) A compound of claim 4 wherein

q is 4 or 5;

W is C or CR^{15} ;

T is $(CH_2)_b$ wherein b is 0;

L is $(\text{CH}_2)_n$ wherein n is 0;


R^4 is aryl,

and

R^6 , R^7 , R^9 , R^{10} and R^{15} when present are hydrogen.

6. (Canceled)

7. (Previously Presented) A compound of the structure



wherein Y, at each occurrence, is independently selected from the group consisting of CR^1 , $\text{C}(\text{R}^2)(\text{R}^3)$ and CH ;

q is an integer of from 2 to 4;

T is $(\text{CH}_2)_b$ wherein b is an integer of 0 to 2;

L is $(\text{CH}_2)_n$ wherein n is an integer of 0 or 1;

B is H or alkyl;

R^1 at each occurrence is independently selected from the group consisting of halogen, alkyl, -O(aralkyl), alkoxy, alkoxyalkoxy, $-\text{CF}_3$, $-\text{NH}_2$, $-\text{OH}$, $-\text{NHC}(\text{O})\text{N}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{C}(\text{O})\text{NH}(\text{C}_1\text{-C}_3 \text{ alkyl})$, $-\text{NHSO}_2(\text{C}_1\text{-C}_3 \text{ alkyl})$, alkylamino, di($\text{C}_1\text{-C}_3 \text{ alkyl}$)amino, cycloalkyl, aryl, arylamino, $-\text{NH}(\text{aralkyl})$, 1-morpholinyl, 1-piperazinyl, $-\text{NH}(\text{aliphatic aryl})$, 1,4-oxazinan-4-yl, 4-methyltetrahydro-1(2H)-pyrazinyl, 1-azetanyl and 3-alkyl-1-ureido wherein R^1 can be unsubstituted or substituted with one or more electron donating or

electron withdrawing groups selected from the group consisting of alkyl, aryl, aliphatic acyl, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkoxy and carboxy;

R^2 and R^3 are hydrogen;

R^4 is selected from the group consisting of

alkyl, aryl, biaryl, and aralkyl wherein R^4 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, alkoxy, $-CF_3$, halogen, hydroxyl, $-OCF_3$, aryl, $-OCF_2H$, $-OCF_2CF_2H$, $-O(\text{cycloalkyl})$, $-OCH_2CF_3$, thioalkoxy, $-SO_2(\text{alkyl})$, 1-pyrrolidinyl, 1-piperidinyl, $-O(\text{cycloalkylalkyl})$, dialkylamino, cycloalkyl, haloalkyl, $-NHSO_2(\text{alkyl})$ and $-N(\text{alkyl})SO_2(\text{alkyl})$;

R^6 R^7 are independently hydrogen or alkyl;

R^9 and R^{10} are independently selected from the group of hydrogen and alkyl; and

R^{18} is selected from the group consisting of

cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein R^{18} can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, $-CF_3$, hydroxyl, nitro, amino, $-NH(\text{aliphatic acyl})$, $-NHSO_2(\text{alkyl})$, thioalkoxy, $-OCF_3$, $-SO_2(\text{alkyl})$, $-SO_2N(\text{alkyl})_2$, $-OCF_2H$, aliphatic acyl, $-OCH_2CF_3$, alkoxyalkoxy, $-SO_2(1\text{-pyrrolidinyl})$, $-SO_2(1\text{-piperidinyl})$, $-O(\text{cycloalkylalkyl})$, $-O(\text{aralkyl})$, 1-pyrrolidinyl and 1-piperidinyl;

wherein when at least one Y is CR^1 , R^1 and R^6 may be taken together to form a ring;

or a pharmaceutically acceptable salt thereof.

8. (Previously Presented) A compound of claim 7 wherein R^{18} is aralkyl;

T is $(CH_2)_b$ wherein b is 0;


L is $(CH_2)_n$ wherein n is 0;

Y is selected from the group consisting of CR^1 and $C(R^2)(R^3)$ and



Q is 2 or 3.

9. (Canceled)

10. (Previously Presented) A compound of claim 7 wherein



is selected from the group consisting of



wherein R^{18} is selected from the group consisting of cycloalkylalkyl, aralkyl and aryloxyalkyl wherein R^{18} can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, $-CF_3$, hydroxyl, nitro, amino, $-NH(\text{aliphatic acyl})$, $-NHSO_2(\text{alkyl})$, thioalkoxy, $-OCF_3$, $-SO_2(\text{alkyl})$, $-SO_2N(\text{alkyl})_2$, $-OCF_2H$, aliphatic acyl, $-OCH_2CF_3$, alkoxyalkoxy, $-SO_2(1\text{-pyrrolidinyl})$, $-SO_2(1\text{-piperidinyl})$, $-O(\text{cycloalkylalkyl})$, $-O(\text{aralkyl})$, 1-pyrrolidinyl and 1-piperidinyl;

R^{20} at each occurrence is independently selected from the group consisting of halogen, alkyl, alkoxy, alkoxyalkoxy, $-O(\text{aralkyl})$, $-NH(\text{aliphatic acyl})$, $-CF_3$, $-NH_2$, $-OH$, $-NHC(O)N(C_1-C_3 \text{ alkyl})C(O)NH(C_1-C_3 \text{ alkyl})$, $-NHSO_2(C_1-C_3 \text{ alkyl})$, alkylamino, $di(C_1-C_3 \text{ alkyl})\text{amino}$, cycloalkyl, aryl, arylamino, 1,4-oxazinan-4-yl, 4-methyltetrahydro-1(2H)-pyrazinyl, 1-azetanyl, 1-piperazinyl and 3-alkyl-1-ureido wherein R^{20} can be unsubstituted or substituted with one or more electron donating or electron

withdrawing groups selected from the group consisting of alkyl, aryl, alkoxy, alkoxyalkoxy and carboxy;

R^{21} is hydrogen;


R^{22} is hydroxy;

d is an integer of zero to three; and

e is zero.

11. (Currently Amended) A compound of claim 7 wherein R^{18} is aralkyl;
 R^4 is aryl;
T is $(CH_2)_b$ where b is zero;
L is $(CH_2)_n$ where n is zero; and,
B, R^6 , R^7 , R^9 and R^{10} are each independently hydrogen.

12. (Previously Presented) A compound of the structure



wherein T is $(CH_2)_b$ wherein b is 0;

L is $(CH_2)_n$ wherein n is;

g is an integer of from 0 to 7;

B is H or alkyl;

R^4 is selected from the group consisting of

aryl, biaryl, and aralkyl, wherein R^4 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the

group consisting of alkyl, alkoxy, $-\text{CF}_3$, halogen, hydroxyl, $-\text{OCF}_3$, aryl, $-\text{OCF}_2\text{H}$, $-\text{OCF}_2\text{CF}_2\text{H}$, $-\text{O}(\text{cycloalkyl})$, $-\text{OCH}_2\text{CF}_3$, thioalkoxy, $-\text{SO}_2(\text{alkyl})$, 1-pyrrolidinyl, 1-piperidinyl, $-\text{O}(\text{cycloalkylalkyl})$, dialkylamino, cycloalkyl, haloalkyl, $-\text{NHSO}_2(\text{alkyl})$ and $-\text{N}(\text{alkyl})\text{SO}_2(\text{alkyl})$;

R^6 and R^7 are each hydrogen;

R^9 and R^{10} are independently selected from the group consisting of hydrogen and alkyl;

R^{18} is selected from the group consisting of

cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein R^{18} can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, $-\text{CF}_3$, hydroxyl, nitro, amino, $-\text{NH}(\text{aliphatic acyl})$, $-\text{NHSO}_2(\text{alkyl})$, thioalkoxy, $-\text{OCF}_3$, $-\text{SO}_2(\text{alkyl})$, $-\text{SO}_2\text{N}(\text{alkyl})_2$, $-\text{OCF}_2\text{H}$, aliphatic acyl, $-\text{OCH}_2\text{CF}_3$, alkoxyalkoxy, $-\text{SO}_2(1\text{-pyrrolidinyl})$, $-\text{SO}_2(1\text{-piperidinyl})$, $-\text{O}(\text{cycloalkylalkyl})$, $-\text{O}(\text{aralkyl})$, 1-pyrrolidinyl and 1-piperidinyl; and


R^{23} at each occurrence is independently selected from the group consisting of

hydrogen, halogen, alkyl, $-\text{O}(\text{aralkyl})$, alkoxy, alkoxyalkoxy, $-\text{CF}_3$, $-\text{NH}_2$, $-\text{NH}(\text{aralkyl})$, $-\text{NH}(\text{aliphatic acyl})$, $-\text{OH}$, $-\text{NHC}(\text{O})\text{N}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{C}(\text{O})\text{NH}(\text{C}_1\text{-C}_3 \text{ alkyl})$, $-\text{NHSO}_2(\text{C}_1\text{-C}_3 \text{ alkyl})$, alkylamino, $\text{di}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{amino}$, cycloalkyl, aryl, arylamino, 1,4-oxazinan-4-yl, 4-methyltetrahydro-1(2H)-pyrazinyl, 1-azetanyl, 1-morpholinyl, 1-piperazinyl, and 3-alkyl-1-ureido wherein R^{23} can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, aryl, carboxy and alkoxyalkoxy;

or a pharmaceutically acceptable salt thereof.

13. ~~(Canceled)~~

2 14. (Previously Presented) A compound of the structure



wherein h is an integer of zero to five;

B, R⁶, R⁷, R⁹, R¹⁰ are independently selected from the group consisting of hydrogen and alkyl;

R¹⁸ is selected from the group consisting of

cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein R¹⁸ can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, -CF₃, hydroxyl, nitro, amino, -NH(aliphatic acyl), -NHSO₂(alkyl), thioalkoxy, -OCF₃, -SO₂(alkyl), -SO₂N(alkyl)₂, -OCF₂H, aliphatic acyl, -OCH₂CF₃, alkoxyalkoxy, -SO₂(1-pyrrolidinyl), -SO₂(1-piperidinyl), -O(cycloalkylalkyl), -O(aralkyl), 1-pyrrolidinyl and 1-piperidinyl;

R²⁴ is selected from the group consisting of hydrogen and alkyl;

R²⁵ is selected from the group consisting of

hydrogen, halogen, alkyl and cycloalkyl;

R²⁶ is selected from the group consisting of hydrogen, alkyl, alkoxyalkoxyalkyl and aralkyl; and

R²⁷ at each occurrence is independently selected from the group consisting of


halogen, hydroxyl, alkyl, alkoxy, thioalkoxy, -CF₃, di(C₁-C₃ alkyl)amino, haloalkyl, cycloalkyl, aryl, -O(haloalkyl), -O(cycloalkyl), -O(cycloalkylalkyl), -NHSO₂(alkyl),

-N(alkyl)SO₂(alkyl), piperidinyl, pyrrolidinyl, and -SO₂-(C₁-C₃ alkyl)
 wherein R²⁷ can be unsubstituted or substituted with one or more electron
 donating or electron withdrawing groups selected from the group consisting of
 alkoxy, alkyl and halogen;
 or a pharmaceutically acceptable salt thereof.

- 3 15. (Previously Presented) The compound of claim 14 wherein B, R⁶, R⁷, R⁹, R¹⁰, R²⁴,
 R²⁵ and R²⁶ are each independently hydrogen or alkyl and R¹⁸ is substituted or
 unsubstituted aralkyl.

16. (Canceled)

17. (Previously Presented) A compound of the structure



wherein Z, at each occurrence, is independently selected from the group
 consisting of C(R³¹)(R³²), N, CH, O and S;

z is an integer of from 3 to 5;

k is 1;

T is (CH₂)_b wherein b is an integer of from 0 to 1;

L is (CH₂)_n wherein n is an integer of 0 or 1;

B, R⁶, R⁷, R⁹ and R¹⁰ are independently selected from the group consisting of
 hydrogen and alkyl;

R⁴ is selected from the group consisting of

hydrogen, aryl, alkyl, aralkyl and biaryl wherein R^4 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, alkoxy, $-CF_3$, halogen, hydroxyl, $-OCF_3$, aryl, $-OCF_2H$, $-OCF_2CF_2H$, $-O(\text{cycloalkyl})$, $-OCH_2CF_3$, thioalkoxy, $-SO_2(\text{alkyl})$, 1-pyrrolidinyl, 1-piperidinyl, $-O(\text{cycloalkylalkyl})$, dialkylamino, cycloalkyl, haloalkyl, $-NH SO_2(\text{alkyl})$ and $-N(\text{alkyl})SO_2(\text{alkyl})$;

R^{31} and R^{32} are hydrogen;

R^{18} is selected from the group consisting of aralkyl aryloxyalkyl and cycloalkylalkyl wherein R^{18} can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, $-CF_3$, hydroxyl, nitro, amino, $-NH(\text{aliphatic acyl})$, $-NH SO_2(\text{alkyl})$, thioalkoxy, $-OCF_3$, $-SO_2(\text{alkyl})$, $-SO_2N(\text{alkyl})_2$, $-OCF_2H$, aliphatic acyl, $-OCH_2CF_3$, alkoxyalkoxy, $-SO_2(1\text{-pyrrolidinyl})$, $-SO_2(1\text{-piperidinyl})$, $-O(\text{cycloalkylalkyl})$, $-O(\text{aralkyl})$, 1-pyrrolidinyl and 1-piperidinyl; and


R^{29} is hydroxyl;

or a pharmaceutically acceptable salt thereof.

18. (Canceled)

19. (Original) The compound of claim 17 wherein z is three or four.

20. (Withdrawn) A compound of the structure



wherein R^{24} and R^{25} are each independently selected from the group consisting of hydrogen, halogen, alkyl, alkenyl, alkynyl, alkoxy, alkenoxy, alkynoxy, thioalkoxy, hydroxyalkyl, aliphatic acyl, $-CF_3$, $-SH$, $-OH$,

-CO₂H, -CN, -NO₂, -NH₂, alkynylamino, alkoxy carbonyl, heterocycloyl, carboxy, -N(C₁-C₃ alkyl)-C(O)(C₁-C₃ alkyl), -NHC(O)N(C₁-C₃ alkyl)C(O)NH(C₁-C₃ alkyl), -NHC(O)NH(C₁-C₆ alkyl), -NHSO₂(C₁-C₃ alkyl), -NHSO₂(aryl), alkoxyalkyl, alkylamino, alkenylamino, di(C₁-C₃)amino, -C(O)O-(C₁-C₃)alkyl, -C(O)NH-(C₁-C₃)alkyl, -C(O)N(C₁-C₃ alkyl)₂, -CH=NOH, -PO₃H₂, -OPO₃H₂, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide, cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl, aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl, aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, sulfonyl, -SO₂-(C₁-C₃ alkyl), -SO₃-(C₁-C₃ alkyl), sulfonamido, carbamate, aryloxyalkyl and -C(O)NH(benzyl) groups; and R¹⁸ and R³⁴ are each independently selected from the group consisting of alkyl, alkenyl, alkynyl, hydroxyalkyl, aliphatic acyl, alkynylamino, alkoxy carbonyl, heterocycloyl, -CH=NOH, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide, cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl, aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl, aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, carbamate, aryloxyalkyl, hydrogen and -C(O)NH(benzyl) groups;

wherein R¹⁸, R²⁴, R²⁵ and R³⁴ are unsubstituted or substituted with at least one electron donating or electron withdrawing group;


and wherein R²⁴ and R²⁵ taken together may form a ring;

with the proviso that when R²⁴ and R²⁵ taken together form a ring, the ring formed is not benzene.

21. (Withdrawn) A compound of claim 20 wherein R³⁴ is hydrogen;

R¹⁸ is aralkyl; and R²⁴ and R²⁵ are each independently selected from the group consisting of hydrogen, lower alkyl, and lower alkyl wherein R²⁴ and R²⁵ taken together may form a ring.

22. (Withdrawn) A compound of claim 20 of the structure



wherein R^{24} and R^{25} are each independently selected from the group consisting of hydrogen, halogen, alkyl, alkenyl, alkynyl, alkoxy, alkenoxy, alkynoxy, thioalkoxy, hydroxyalkyl, aliphatic acyl, $-CF_3$, $-SH$, $-OH$, $-CO_2H$, $-CN$, $-NO_2$, $-NH_2$, alkynylamino, alkoxycarbonyl, heterocycloyl, carboxy, $-N(C_1-C_3 \text{ alkyl})-C(O)(C_1-C_3 \text{ alkyl})$, $-NHC(O)N(C_1-C_3 \text{ alkyl})C(O)NH(C_1-C_3 \text{ alkyl})$, $-NHC(O)NH(C_1-C_6 \text{ alkyl})$, $-NHSO_2(C_1-C_3 \text{ alkyl})$, $-NHSO_2(\text{aryl})$, alkoxyalkyl, alkylamino, alkenylamino, $di(C_1-C_3 \text{ amino})$, $-C(O)O-(C_1-C_3 \text{ alkyl})$, $-C(O)NH-(C_1-C_3 \text{ alkyl})$, $-C(O)N(C_1-C_3 \text{ alkyl})_2$, $-CH=NOH$, $-PO_3H_2$, $-OPO_3H_2$, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide, cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl, aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl, aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, sulfonyl, $-SO_2-(C_1-C_3 \text{ alkyl})$, $-SO_3-(C_1-C_3 \text{ alkyl})$, sulfonamido, carbamate, aryloxyalkyl and $-C(O)NH(\text{benzyl})$ groups;

R^{34} is selected from the group consisting of alkyl, alkenyl, alkynyl, hydroxyalkyl, aliphatic acyl, alkynylamino, alkoxycarbonyl, heterocycloyl, $-CH=NOH$, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide, cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl, aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl, aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, carbamate, aryloxyalkyl, hydrogen and $-C(O)NH(\text{benzyl})$ groups; and,

R^{35} , at each occurrence, is independently selected from the group consisting of halogen, hydroxyl, alkyl, alkenyl, alkynyl, alkoxy, alkenoxy, alkynoxy, thioalkoxy, hydroxyalkyl, aliphatic acyl, $-CF_3$, $-CO_2H$, $-SH$, $-CN$, $-NO_2$, $-NH_2$, alkynylamino, alkoxycarbonyl, heterocycloyl, carboxy, $-N(C_1-C_3 \text{ alkyl})-C(O)(C_1-C_3 \text{ alkyl})$,

-NHC(O)N(C₁-C₃ alkyl)C(O)NH(C₁-C₃alkyl), -NHC(O)NH(C₁-C₆ alkyl),
 -NHSO₂(C₁-C₃ alkyl), -NHSO₂(aryl), alkoxyalkyl, alkylamino,
 alkenylamino, di(C₁-C₃)amino, -C(O)O-(C₁-C₃)alkyl,
 -C(O)NH-(C₁-C₃)alkyl, -C(O)N(C₁-C₃ alkyl)₂, -CH=NOH, -PO₃H₂,
 -OPO₃H₂, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide,
 cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl,
 aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl,
 aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, sulfonyl,
 -SO₂-(C₁-C₃ alkyl), -SO₃-(C₁-C₃ alkyl), sulfonamido, carbamate,
 aryloxyalkyl and -C(O)NH(benzyl) groups;

wherein R²⁴, R²⁵, R³⁴ and R³⁵ are unsubstituted or substituted with
 at least one electron donating or electron withdrawing
 group; and,

m is an integer of from 0 to 5.

23. (Withdrawn) A compound of claim 22 wherein R³⁴ is hydrogen;

m is an integer of one to three and R³⁵ at each occurrence is selected from the
 group consisting of alkyl, halogen, alkoxy, haloalkyl, sulfonyl, -OH and -CN.

24. (Withdrawn) A compound of claim 20 selected from the group consisting of
 5-(2-chlorobenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-6-
 methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-fluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-fluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-benzyl-6-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-benzyl-3,5-dihydro[1,3]oxazolo[4,5-
 c]pyridine-2,4-dione, 5-(2,5-dimethylbenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-
 dione, 5-(2-methylbenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,4-
 dichlorobenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-methoxybenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,5-difluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-(methylthio)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-fluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-methoxybenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3,5-bis(trifluoromethyl)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-tert-butylbenzyl)-3,5-

dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3-chlorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-chlorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3-(trifluoromethyl)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-bromobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3,4-dichlorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-methylbenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-methoxybenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[4-(trifluoromethyl)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3-methylbenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(pyridin-2-ylmethyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,4-difluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-difluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3-(trifluoromethoxy)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[4-(trifluoromethoxy)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(trifluoromethyl)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3-methoxybenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,3-dichlorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3,5-dimethylbenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-pentyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,4-dichlorobenzyl)-7-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-ethyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 7-butyl-5-(2-chlorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-(trifluoromethyl)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-dichlorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-fluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-methylbenzyl)-7-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-chlorobenzyl)-7-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-5,6,7,8-tetrahydro-2H-
 cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 7-methyl-5-[4-
 (methylsulfonyl)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-
 methoxybenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-
 propyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 4-[(2,4-dioxo-2,3-
 dihydro[1,3]oxazolo[4,5-c]pyridin-5(4H)-yl)methyl]-N,N-dimethylbenzenesulfonamide, 5-

(mesitylmethyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-
3,5,6,7,8,9-hexahydro[1,3]oxazolo[4,5-c]quinoline-2,4-dione, 5-(2-chlorobenzyl)-7-ethyl-6-
methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(methylthio)benzyl]-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 2-[(2,4-dioxo-2,3-dihydro[1,3]oxazolo[4,5-
c]pyridin-5(4H)-yl)methyl]-N,N-dimethylbenzenesulfonamide, 5-(2,6-dimethoxybenzyl)-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(trifluoromethoxy)benzyl]-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-6,7-dimethyl-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-(methylsulfonyl)benzyl]-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-chloro-2-methoxybenzyl)-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-5,6,7,8,9,10-hexahydro-
2H-cyclohepta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-[2-(difluoromethoxy)benzyl]-
3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 7-methyl-5-[(1R)-1-phenylethyl]-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-chlorobenzyl)-7-propyl-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(methylsulfonyl)benzyl]-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-dimethylbenzyl)-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 3-chloro-2-[(2,4-dioxo-2,3-
dihydro[1,3]oxazolo[4,5-c]pyridin-5(4H)-yl)methyl]benzonitrile, 5-(2-chloro-6-
methylbenzyl)-6,7-dimethyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 2-[(2,4-
dioxo-2,3-dihydro[1,3]oxazolo[4,5-c]pyridin-5(4H)-yl)methyl]benzonitrile, 5-(2-chloro-6-
methoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3-
(methylthio)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-
cyclopropyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3-chlorobenzyl)-7-methyl-
3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-dichlorobenzyl)-7-methyl-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 7-methyl-5-(4-methylbenzyl)-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3,5-dimethoxybenzyl)-7-methyl-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-difluorobenzyl)-7-methyl-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3-(methylsulfonyl)benzyl]-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-7-methyl-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-fluoro-6-methoxybenzyl)-7-methyl-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-methoxybenzyl)-7-propyl-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(5-chloro-2-fluorobenzyl)-7-methyl-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-isopropyl-3,5-
dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(5-fluoro-2-methylbenzyl)-7-methyl-3,5-

dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 7-methyl-5-[(1S)-1-phenylethyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-isopropoxybenzyl)-7-methyl-
 3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(5-acetyl-2-methoxybenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-d]pyridazine-2,4-dione, 5-[2-fluoro-6-(trifluoromethyl)benzyl]-7-
 methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-methylbenzyl)-
 5,6,7,8-tetrahydro-2H-cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-(2-chloro-
 6-ethoxybenzyl)-7-ethyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-
 propoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-
 isobutoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-
 ethoxybenzyl)-5,6,7,8-tetrahydro-2H-cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-
 dione, 5-(2-chloro-6-isopropoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-
 2,4-dione, 5-[2-chloro-6-(2,2,2-trifluoroethoxy)benzyl]-7-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-7-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-d]pyridazine-2,4-dione, 5-[2-chloro-6-(2-methoxyethoxy)benzyl]-
 5,6,7,8-tetrahydro-2H-cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-(2-chloro-
 6-ethoxybenzyl)-6,7-dimethyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-
 chloro-6-ethoxybenzyl)-7-ethyl-6-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione,
 5-(2-chlorobenzyl)-7-ethyl-3,5-dihydro[1,3]oxazolo[4,5-d]pyridazine-2,4-dione, 5-(2-chloro-
 6-ethoxybenzyl)-7-propyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-
 ethoxybenzyl)-7-cyclopropyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-
 5-propoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-
 methoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-
 ethoxybenzyl)-6-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-
 ethoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-
 (piperidin-1-ylsulfonyl)benzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione,
 5-[2-chloro-5-(pyrrolidin-1-ylsulfonyl)benzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-
 c]pyridine-2,4-dione, 5-[2-chloro-6-(cyclopentylmethoxy)benzyl]-7-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(benzyloxy)-6-chlorobenzyl]-7-methyl-
 3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,3-dichloro-6-ethoxybenzyl)-5,6,7,8-
 tetrahydro-2H-cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-[2-chloro-5-
 (trifluoromethyl)benzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione and 5-
 (2-chloro-5-fluorobenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione.

25. (Currently Amended) A compound selected from the group consisting of (3S)-3-(1,3-benzodioxol-5-yl)-3-[(2-oxo-1-(phenylmethyl)-4-propyl-1,2-dihydro-3-pyridinyl)amino]carbonylamino]propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-ethyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(6-methyl-2-oxo-1-(phenylmethyl)-4-[(phenylmethyl)oxy]-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-2,4-dimethyl-6-oxo-1,6-dihydro-5-pyrimidinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(4-amino-1-[(2-chlorophenyl)methyl]-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-[4-(methyloxy)phenyl]propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(3,4-dimethylphenyl)propanoic acid, (3S)-3-[(4-amino-1-[(2-chlorophenyl)methyl]-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-(1,4-oxazinan-4-yl)-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-2-oxo-4-(propylamino)-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-bromophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-[3-methyl-4-(methyloxy)phenyl]propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-2-oxo-4-phenyl-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-[(2-{2-(methyloxy)ethyl}oxy)ethyl]oxy]-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-hydroxy-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-chlorophenyl)methyl]-4-[(1,1-dimethylethyl)amino]-2-oxo-1,2-dihydro-3-pyridinyl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-[(2-

chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-phenylpropanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[4-methyltetrahydro-1(2H)-pyrazinyl]-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-[4-(methyloxy)phenyl]propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(3,5-dimethylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(3-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-[3-(methyloxy)phenyl]propanoic acid, (3S)-3-[3,5-bis(methyloxy)phenyl]-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino} propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-quinolinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-[3-(trifluoromethyl)phenyl]propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[(ethyl[(ethylamino)carbonyl]amino)carbonyl]amino]-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{4-(1-azetanyl)-1-[(2-chlorophenyl)methyl]-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[(2-[(2-(methyloxy)ethyl]oxy)ethyl]oxy)ethyl]oxy)-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chloro-6-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{{1-[(2-chlorophenyl)methyl]-5-methyl-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-(1,3-benzodioxol-5-yl)-3-(((2-oxo-1-((4-(trifluoromethyl)phenyl)methyl)-1,2 dihydro-3-pyridinyl)amino)carbonyl]amino)propanoic acid, (3S)-3-(((1-((2-chlorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl]amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-(((1-((2-fluorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl]amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-(((1-((2-bromophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl]amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-(((1-((2,4-dichlorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl]

amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-((((1-((2-chloro-6-fluorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-((((1-((2-chlorophenyl)methyl)-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-(trifluoromethyl)oxy)phenyl)propanoic acid, (3S)-3-([([1-(2-chloro-6-methoxybenzyl)-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl)amino]-3-(4-methylphenyl)propanoic acid, 4-{{3-[[{(1S)-2-carboxy-1-(4-methylphenyl)ethyl]amino}carbonyl]amino]-1-(2-chlorobenzyl)-2-oxo-1,2-dihydropyridin-4-yl]amino}benzoic acid, (3S)-3-[[{(1-(2-chlorobenzyl)-4-[(2,2-dimethylpropanoyl)amino]-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[{(4-{{(tert-butylamino)carbonyl]amino}-1-(2-chlorobenzyl)-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[{(1-(2-cyanobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[{(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(2,3-dihydro-1,4-benzodioxin-6-yl)propanoic acid, (3S)-3-[[{(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(7-methoxy-1,3-benzodioxol-5-yl)propanoic acid, (3S)-3-[[{(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(3-ethoxy-4-methoxyphenyl)propanoic acid, (3S)-3-[[{(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(3,4-dimethoxyphenyl)propanoic acid, (3S)-3-[[{(1-(4-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[{(1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[{(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[{(1-(2,6-difluorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[{(1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(3,5-dimethoxyphenyl)propanoic acid, (3S)-3-[[{(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[[{(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[[{(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(3-methoxy-4-methylphenyl)propanoic acid, (3S)-3-[[{(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino)carbonyl]amino]-3-(3,5-dimethoxy-4-methylphenyl)propanoic acid, (3S)-3-[[{(1-

(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3,4-dimethylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-5-ethyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-5-(trifluoromethyl)benzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-methylbenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2,6-dimethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-propoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-5-propyl-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-5-propyl-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-(3-butoxyphenyl)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]propanoic acid, (3S)-3-[(1-(2-chloro-5-(methylsulfonyl)benzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-[3-(2-methoxyethoxy)phenyl]propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3,4-dipropoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-[3-(difluoromethoxy)phenyl]propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-methylbenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-cyanobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid, 3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-

3-yl]amino}carbonyl)amino]-3-(2-naphthyl)propanoic acid and (3S)-3-([1-(2-chlorobenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-([1-(2-chloro-6-methoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-([1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methoxyphenyl)propanoic acid, (3S)-3-([1-(2-chloro-6-methylbenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-([1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-([1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-([1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-([1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid, (3S)-3-([1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(2,3-dihydro-1-benzofuran-5-yl)propanoic acid, (3S)-3-([1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3,5-diethoxyphenyl)propanoic acid, (3S)-3-([5-chloro-1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-([1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-([1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-propoxyphenyl)propanoic acid, (3S)-3-([1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-phenylpropanoic acid, (3S)-3-([1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1,3-diethyl-2-oxo-2,3-dihydro-1H-benzimidazol-5-yl)propanoic acid, (3S)-3-([1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-[3-(trifluoromethoxy)phenyl]propanoic acid, (3S)-3-([1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-([1-(2-

chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-5-cyclopropyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-5-cyclopropyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-5-methoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-6-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(1-methyl-1H-indol-6-yl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[3-(cyclopropyloxy)phenyl]propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[3-(cyclopropylmethoxy)phenyl]propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[3-(cyclopropylmethoxy)phenyl]propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3,5-dimethylphenyl)propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[3-[(difluoromethyl)oxy]phenyl]propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1-ethyl-1H-indol-5-yl)propanoic acid and (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[3-(diethylamino)phenyl]propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-

yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(6-methoxy-2-naphthyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-[3-(diethylamino)phenyl]propanoic acid, and (3S)-3-[(1-(2-chloro-6-methylphenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid, (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-{3-[(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[(1-(2-chloro-6-methylphenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-{3-[(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-{3-[methyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-{3-[ethyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[(1-(2-chloro-6-methylphenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1H-indol-5-yl)propanoic acid and pharmaceutically acceptable salts thereof.

26. (Original) (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid and pharmaceutical acceptable salts thereof.

27. (Withdrawn) (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid and pharmaceutically acceptable salts thereof.
28. (Withdrawn) (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino]carbonyl]amino]-3-[3-(diethylamino)phenyl]propanoic acid and pharmaceutically acceptable salts thereof.
29. (Withdrawn) A compound selected from the group consisting of (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid; (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino]carbonyl]amino]-3-(3-ethoxyphenyl)propanoic acid; (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino]carbonyl]amino]-3-(3-isopropoxyphenyl)propanoic acid; (3S)-3-[[[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino]carbonyl]amino]-3-(6-methoxy-2-naphthyl)propanoic acid; (3S)-3-[[[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino]carbonyl]amino]-3-(3-methylphenyl)propanoic acid; (3S)-3-[[[1-[(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino]carbonyl]amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid; (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino]carbonyl]amino]-3-{3-[(methylsulfonyl)amino]phenyl}propanoic acid; (3S)-3-[[[1-[(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino]carbonyl]amino]-3-{3-[(methylsulfonyl)amino]phenyl}propanoic acid; (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino]carbonyl]amino]-3-{3-[methyl(methylsulfonyl)amino]phenyl}propanoic acid; (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino]carbonyl]amino]-3-{3-[ethyl(methylsulfonyl)amino]phenyl}propanoic acid; (3S)-3-[[[1-[(2-chloro-6-

methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl}amino)carbonyl]amino}-3-{3-[ethyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-{{{1-[(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl}amino)carbonyl]amino}-3-(1H-indol-5-yl)propanoic acid and pharmaceutically acceptable salts thereof.

30. (Original) A pharmaceutical composition comprising:

a compound of claim 1

in a pharmaceutically acceptable carrier.

31. (Original) A method for selectively inhibiting $\alpha_4\beta_1$ integrin binding in a mammal comprising administering to said mammal a therapeutic amount of a compound of claim 1.

DETAILED ACTION

1. Amendment and response filed by applicants dated Nov. 10, 2004 have been entered and considered carefully. Claims 6, 9, 13, 16, 18, have been canceled. Claims 20-24, 27-29 stayed withdrawn. The erroneous withdrawn of claim 26 is hereby re-instated as pending.

2. *Examiner's Amendment*

Authorization for this examiner's amendment was given in a telephone interview with Mr. Martin Katz on Mar 17, 2005.

Claims 1-11, 17, 19-24, 27, 29 and 25 in part, being drawn to the nonelected inventions are canceled without prejudice against applicant's filing of divisional applications.

Claims 25, 26, 28, 30 and 31 are canceled and replaced with the following:

Claim ~~32~~^A. (new) A compound selected from the group consisting of

(3S)-3-(1,3-benzodioxol-5-yl)-3-[({2-oxo-1-(phenylmethyl)-4-propyl-1,2-dihydro-3-pyridinyl} amino) carbonyl] amino] propanoic acid,

(3S)-3- { [({ 1-[(2-chlorophenyl)methyl]-4-ethyl-2-oxo-1,2-dihydro-3-pyridinyl} amino) carbonyl] amino } -3-(4-methylphenyl) propanoic acid,

(3S)-3- { [({ 1-[(2-chlorophenyl)methyl]-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl} amino) carbonyl] amino } -3-(4-methylphenyl) propanoic acid,

(3S)-3- { [({ 6-methyl-2-oxo-1-(phenylmethyl)-4-[(phenylmethyl)oxy]-1,2-dihydro-3-pyridinyl} amino) carbonyl] amino } -3-(4-methylphenyl) propanoic acid,

(3S)-3- { [({ 4-amino-1-[(2-chlorophenyl)methyl]-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl} amino) carbonyl] amino } -3-(4-methylphenyl) propanoic acid,

(3S)-3- { [({ 1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl} amino) carbonyl] amino } -3-[4-(methyloxy)phenyl] propanoic acid,

(3S)-3- { [({ 1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl} amino) carbonyl] amino } -3-(3,4-dimethylphenyl) propanoic acid,

(3S)-3- { [({ 4-amino-1-[(2-chlorophenyl)methyl]-2-oxo-1,2-dihydro-3-pyridinyl} amino) carbonyl] amino } -3-(4-methylphenyl) propanoic acid,

Art Unit: 1625

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-(1,4-oxazinan-4-yl)-2-oxo-1,2-dihydro-3-pyridinyl}amino}carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-2-oxo-4-(propylamino)-1,2-dihydro-3-pyridinyl}amino}carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-bromophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-[3-methyl-4-(methyloxy)phenyl]propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-2-oxo-4-phenyl-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[(2-{[2-(methyloxy)ethyl]oxy}ethyl)oxy]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[(1,1-dimethylethyl)amino]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-phenylpropanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-[4-methyltetrahydro-1(2H)-pyrazinyl]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-[4-(methyloxy)phenyl]propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(3,5-dimethylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-(3-methylphenyl)propanoic acid,

(3S)-3-{{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl}amino}-3-[3-(methyloxy)phenyl]propanoic acid,

Art Unit: 1625

(3S)-3-[3,5-bis(methyloxy)phenyl]-3-{{[(1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}propanoic acid,

(3S)-3-{{[(1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-[3-(trifluoromethyl)phenyl]propanoic acid,

(3S)-3-{{[(1-[(2-chlorophenyl)methyl]-4-[(ethyl[(ethylamino)carbonyl] amino)carbonyl]amino]-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{[(4-(1-azetanyl)-1-[(2-chlorophenyl)methyl]-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{[(1-[(2-chlorophenyl)methyl]-4-(2-[(2-[(2-methyloxy)ethyl]oxy)ethyl]oxy)ethyl]oxy)-2-oxo-1,2-dihydro-3-pyridinyl]amino}carbonyl]amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{[(1-[(2-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{[(1-[(2-chloro-6-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{{[(1-[(2-chlorophenyl)methyl]-5-methyl-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-(1,3-benzodioxol-5-yl)-3-(((2-oxo-1-((4-(trifluoromethyl)phenyl)methyl)-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)propanoic acid,

(3S)-3-(((1-((2-chlorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid,

(3S)-3-(((1-((2-fluorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl) amino) carbonyl) amino) -3-(4-methylphenyl)propanoic acid,

(3S)-3-(((1-((2-bromophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid,

(3S)-3-(((1-((2,4-dichlorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid,

(3S)-3-(((1-((2-chloro-6-fluorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid,

Art Unit: 1625

(3S)-3-((((1-((2-chlorophenyl)methyl)-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-trifluoromethyloxy)phenyl)propanoic acid,

(3S)-3-[(1-(2-chloro-6-methoxybenzyl)-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

4-[[3-[(1-(1S)-2-carboxy-1-(4-methylphenyl)ethyl)amino]carbonyl)amino]-1-(2-chlorobenzyl)-2-oxo-1,2-dihydropyridin-4-yl]amino]benzoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-[(2,2-dimethylpropanoyl)amino]-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(4-[(tert-butylamino)carbonyl]amino)-1-(2-chlorobenzyl)-2-oxo-1,2-dihydropyridin-3-yl]amino]carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonyl)amino]-3-(2,3-dihydro-1,4-benzodioxin-6-yl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonyl)amino]-3-(7-methoxy-1,3-benzodioxol-5-yl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonyl)amino]-3-(3-ethoxy-4-methoxyphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonyl)amino]-3-(3,4-dimethoxyphenyl)propanoic acid,

(3S)-3-[(1-(4-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2,6-difluorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[(1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonyl)amino]-3-(3,5-dimethoxyphenyl)propanoic acid,

Art Unit: 1625

(3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid,

(3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-methoxy-4-methylphenyl)propanoic acid,

(3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3,5-dimethoxy-4-methylphenyl)propanoic acid,

(3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3,4-dimethylphenyl)propanoic acid,

(3S)-3-[({[1-(2-chlorobenzyl)-5-ethyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[({[1-[2-chloro-5-(trifluoromethyl)benzyl]-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[({[1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-methylphenyl)propanoic acid,

(3S)-3-[({[1-(2-chloro-6-methylbenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[({[1-(2,6-dimethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-propoxyphenyl)propanoic acid,

(3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-5-propyl-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-5-propyl-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid,

(3S)-3-(3-butoxyphenyl)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]propanoic acid,

Art Unit: 1625

(3S)-3-[[({1-[2-chloro-5-(methylsulfonyl)benzyl]-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-[3-(2-methoxyethoxy)phenyl]propanoic acid,

(3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(3,4-dipropoxyphenyl)propanoic acid,

(3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-[3-(difluoromethoxy)phenyl]propanoic acid,

(3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(3,4-diethoxyphenyl)propanoic acid,

(3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-[[({1-(2-chloro-6-methylbenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(3,4-diethoxyphenyl)propanoic acid,

3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(2-naphthyl)propanoic acid,

(3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(3,4-diethoxyphenyl)propanoic acid,

(3S)-3-[[({1-(2-chloro-6-methoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(3,4-diethoxyphenyl)propanoic acid,

(3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(3-isopropoxyphenyl)propanoic acid,

(3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(4-methoxyphenyl)propanoic acid,

(3S)-3-[[({1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-[[({1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(3-isopropoxyphenyl)propanoic acid,

(3S)-3-[[({1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl} amino)carbonyl]amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid,

Art Unit: 1625

(3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(2,3-dihydro-1-benzofuran-5-yl)propanoic acid,

(3S)-3-[({[5-chloro-1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid,

(3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-[3-(trifluoromethoxy)phenyl]propanoic acid,

(3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid,

(3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-5-cyclopropyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid,

(3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-5-cyclopropyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[({[1-(2-chloro-5-methoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-6-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid,

(3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(1-methyl-1H-indol-6-yl)propanoic acid,

(3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(4-methylphenyl)propanoic acid,

(3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-(6-methoxy-2-naphthyl)propanoic acid,

(3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino} carbonyl)amino]-3-[3-(diethylamino)phenyl]propanoic acid,

Art Unit: 1625

(3S)-3-[({ [1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino } carbonyl)amino]-3-(4-methylphenyl)propanoic acid,,

(3S)-3-[({ [1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino } carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid,

(3S)-3-[({ [1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino } carbonyl)amino]-3-(6-methoxy-2-naphthyl)propanoic,

and pharmaceutically acceptable salts thereof.

⁵
Claim 33. (3S)-3-[({ [1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino } carbonyl)amino]-3-(4-methylphenyl)propanoic acid and pharmaceutical acceptable salts thereof.

⁶
Claim 34. (3S)-3-[({ [1-(2-chlorobenayl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino } carbonyl)amino]-3-[3-(diethylamino)phenyl]propanoic acid and pharmaceutically acceptable salts thereof.

⁷
Claim 35. A pharmaceutical composition comprising an effective amount of a compound selected from one of claims ¹⁻⁶ ~~12, 14, 15, 32, 33 or 34~~ and a pharmaceutically acceptable carrier.

⁸
Claim 36. A method for treating asthma, multiple sclerosis or inflammatory bowel diseases in a mammal comprising administering to said mammal a therapeutically effective amount of a compound selected form one of claims ¹⁻⁶ ~~12, 14, 15, 32, 33, or 34~~.